

DIGITUS Gigabit Ethernet PoE splitter, 802.3bt, 51 W

DN-95211
EAN 4016032495406



Gigabit Ethernet PoE Splitter, 802.3af/at/bt Output: 12V/4,2A,24V/2,1A, 51W

The PoE splitter supplies data and power via a single Ethernet cable to devices that do not support Power over Ethernet. Simply connect the input of the splitter to a PoE switch or PoE injector and the output side to a non-PoE network device such as an access point, IP phone or camera to provide power and data. The extender is self-powered via PoE, so no additional power supply is required. The output voltage can be regulated to 12V or 24V via a dip switch. This splitter extends your network wherever you want to place network devices for which no sockets are available. Spare available.

The PoE splitter delivers data and power of up to 51W to devices via a single Ethernet cable.

- Ethernet speed: 10/100/1000Mbps Gigabit half/full duplex
- PoE standard: IEEE802.3af/bt
- Input: Power + data input (RJ45)
- Output: Data output (RJ45), DC output
- Plug-and-play installation - no configuration required
- Selectable output voltages: 12V/4.25A, 24V/2.125A

- Splits the 48VDC power into different DC outputs via RJ45 Ethernet cable
- Status LED on the device (PoE ready/PoE in operation)
- Protection through insulation of the circuit
- Maximum output power up to 51W
- Supports a wide input voltage range from 36VDC to 57VDC
- Supports 5.5 mm and 3.5 mm DC connections
- Thermal shutdown
- Operating temperature: 0 to 40°C
- Dimensions (L x W x H): 80 x 55 x 23 mm
- Color: Black
- Weight: 80g
- Number of ports: 1
- PoE standard: IEEE802.3bt (PoE++)
- Ethernet speed: Gigabit
- Industrial usage: no

Package contents

- 1x Gigabit PoE distributor
- 1x QIG
- 1x RJ45 Ethernet cable
- 1x DC power cable

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	100	15.51	31.70	27.80	54.50	48,028.70
Packaging Unit Inside	1	0.16	0.00	0.00	0.00	0.00
Packaging Unit Single	1	0.16	2.50	10.50	15.00	393.75
Net single without Packaging	1	0.09	2.40	5.40	8.00	0.00