

Allrack Data Cabinets – Floor-standing



A. Adjustable Mounting Rails



Front and rear sets of vertical rails adjust in quarter-inch increments. Adjustment is quick and convenient—simply unscrew the rails, slide them to the required depth and refasten.

D. Spring Lock



Spring round lock provide security.

B. Optional fans on the top cover



Optional Fans (Normally, 2 fans can be pre-installed on 600mm or 800mm deep unit, 4 fans on 1000mm deep unit) allow air flow in the cabinet.

E. Removable side panels



Lockable side panels to ease maintain and removable.

C. Toughened glass front door



Toughened glass door

F. Adjustable feet and heavy duty casters (with brake).



Adjustable feet and heavy duty casters (with brake) are available simultaneously.

Allrack Floor-standing data cabinets are high quality and cost effective 19" racks. All doors and panels are lockable and removable giving all round access. The fully adjustable 19" mounting profiles are printed numerically with the "U" height, for ease of installation and future use. Cable entry is from directly underneath or in the back of the roof using cable entry glands.

Allrack Data Cabinets – Floor-standing

Technical Specification

Description: Industry standard design 19" floor data cabinets.

Material: Cold rolled steel construction for cabinet frame, toughened glass panel insert in steel framework for front door.

Finish: Smooth black RAL9005 powder coated paint finish.

Dimensions:

U Size	Width	Depth	Height
12u	600mm	600mm	716mm
12u	600mm	800mm	716mm
18u	600mm	600mm	983mm
18u	600mm	800mm	983mm
27u	600mm	600mm	1383mm
27u	600mm	800mm	1383mm
27u	600mm	1000mm	1383mm
27u	800mm	600mm	1383mm
27u	800mm	800mm	1383mm
37u	600mm	600mm	1827mm
37u	600mm	800mm	1827mm
37u	600mm	1000mm	1827mm
37u	800mm	600mm	1827mm
37u	800mm	800mm	1827mm
37u	800mm	1000mm	1827mm
42u	600mm	600mm	2050mm
42u	600mm	800mm	2050mm
42u	600mm	1000mm	2050mm
42u	800mm	600mm	2050mm
42u	800mm	800mm	2050mm
42u	800mm	1000mm	2050mm
47u	600mm	600mm	2272mm
47u	600mm	800mm	2272mm
47u	800mm	600mm	2272mm
47u	800mm	800mm	2272mm
47u	800mm	1000mm	2272mm

Racks: Supplied with depth adjustable heavy-duty steel mounting profiles to take industry standard 19" patch panels and equipment. All 800 wide cabinets come complete with side vertical management as standard.

Doors: Steel framed / toughened glass front door
Steel rear door
Steel side panels

All lockable and removable

- Locks:** Lockable front door
Lockable rear door
Lock and slam locks on side panels
- Ventilation:** Through roof panel and via fan tray.
- Options:** Delivered assembled as standard. Flat-packed optional.
- Accessoris:** Fan trays (roof / rack mount). Plinth kits. Shelves (fixed / telescopic). Heavy duty castors. Leveling feet. Baying kits. Earth bonding kits. Cable tray
- Profile distances:** The mounting profiles can be adjusted forwards and backwards to utilise almost the full depth of the cabinets.
- Static Loading:** 600kg