

Monitor Mounts

for all occasions


Ergonomic Workspace

The main reason for office workers to call in sick nowadays are spine deseases. A average of 34% of all sickleave certificates are due to this.

Investment of employers

Unfortunately employers still only invest 1% of all administrative expenditures into the workspace facilities, which still causes many employees to sit in a uncomfortable and unhealthy position in front of their screen causing massive sickleave drop outs, producing higher monetary losses than a investment into ergonomic office appliances.

With our products we can supply you with a wide range of ergonomic solutions matching all your employes needs thanks to a variable adjustment for pure sitting environments as well as sit/stand work-places or even wall mountable solutions



Minimum requirement of the employer's liability insurance association



DIGITUS° Ergonomic Sit-Stand Workstation for Desktop Mount

Height adjustable up to 50cm

- · For monitors up to 32"
- · VESA 75x75, 100x100
- · Freely adjustable vertical tilt angle up to +/-15°
- · Height adjustable up to 50cm
- · Freely swivels up to 45°
- · Can be rotated 360°
- · Maximum load bearing capacity: 8kg
- · Gewicht: 11,7kg
- · Dimensions: 66,6 x 115 x 102cm



DA-90381 4016032423843 | Ergonomic Sit-Stand Workstation for Desktop Mount | silver



DIGITUS®

Ergonomic Workspace Riser

With integrated smartphone or tablet holder

- · Desktop area: 95x62cm
- Lower deck for mouse and keyboard
- · With integrated smartphone or tablet holder
- With predrilled hole for monitor mounts with table hole installation for all Digitus mounts with hole / clamp mount
- · Desktop thickness: 12mm
- · Height adjustable between 10 to 50cm
- · Weight: 14,63kg
- · Dimensions: 95x62x11cm







DIGITUS® Electric Height Adjustable Sit/Stand Desk Upgrade Kit

With anti collision sensor

- · With sit/stand reminder function
- · Height adjustable between 63 to 125cm
- · Maximum load capacity: 100kg
- · For tabletops up to 200cm width
- · For tabletops between 70 to 90cm depth
- · With two integrated engines for smooth adjustment
- · With anti collision sensor
- · Dimensions: 100x70x63cm / Weight: 30,6kg
- · Without desktop





For Monitors up to 27"

- \cdot For mounting devices with a screen diagonal of 43 cm (17") to 69 cm (27") to the wall
- · Freely swivels up to 180°
- · Freely adjustable vertical tilt angle of up to 90°
- · Freely adjustable height
- · Rotate monitor up to 180°





DA-90354 4016032383161 | Flexible wall mount for workspaces | silver

DIGITUS® Universal LED/LCD table mount with gas spring

With gas spring

- Universally suitable for all LED and LCD monitors with a mounting option in accordance with the VESA standard
- · Mount devices with a screen diagonal of 43 cm (17") to 69 cm (27") on a table
- · Freely swivels up to 180°
- Freely adjustable vertical tilt angle up to 90°
- · Freely adjustable height
- \cdot Rotate monitor up to 180





DA-90351 4016032383147 | Universal LED/LCD table mount with gas spring | silver







DIGITUS[®] Universal LED/LCD Monitor Stand with gas spring

With Gas spring

- Universally suitable for all LED and LCD monitors with a mounting option in accordance wit the VESA standard
- · Mount devices with a screen diagonal of 43 cm (17") to 69 cm (27") on a table
- · Freely swivels up to 180°
- · Freely adjustable vertical tilt angle of up to 90°
- · Freely adjustable hight
- · Rotate monitor up to 180°

DA-90365 4016032433996 | Universal LED/LCD Monitor Stand with gas spring | black



DIGITUS® Universal Single Monitor Stand

For Monitors up to 27"

- \cdot Suitable for standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- $\cdot\,\text{Max.}$ load bearing capacity: 10 kg
- · For monitors up to 69 cm (27")
- · Freely adjustable vertical tilt angle of up to 45°
- · Freely swivels up to 45°
- · Can be rotated 360°
- · Weight: 2.9 kg
- · Dimensions: 466 x 316 x 434 mm

DA-90346 4016032382638 | Universal Single Monitor Stand | black



DIGITUS® Universal Single Monitor clamp mount

For Monitors up to 27"

- \cdot Suitable for standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- · Max. load bearing capacity: 8 kg
- · For monitors up to 69cm (27")
- · Freely adjustable vertical tilt angle of up to 45°
- · Freely swivels up to 45°
- · Can be rotated 360°
- · Weight: 3,3 kg
- · Dimensions: 490 x 550 x 116 mm

DA-90361 4016032424819 | Universal Single Monitor clamp mount | black





DIGITUS® Universal Dual Monitor clamp mount

For Monitors up to 32"

- · Material: Steel / Aluminium Alloy
- \cdot Supports flat panel size: 24" 32" / Tilt for each hinge: + / 15 $^{\circ}$
- \cdot Swivel for each hinge: + / 20 $^{\circ}$ / Rotate for each hinge: 90 $^{\circ}$
- · Desk Mount, for easy installation
- · Screw Type: M4,M6
- weight: 5.7 Kg (12.57 lbs)
- · Cable Management
- · Support max. weight for each hinge: 15Kg (33 lbs)
- · Dimensions (W x D x H): 924x570x144mm (36.38x22.44x5.67")





DA-90321 4016032314219 | Universal Dual Monitor clamp mount | black

DIGITUS° Universal Dual Monitor Stand

For Monitors up to 27"

- · Support flat panel size: 15" 27"
- · Supports VESA standard dimensions (75x75mm and 100x100mm)
- · Material: Steel / Aluminium Alloy
- · Support max. weight for each hinge: 15Kg (33lbs)
- \cdot Swivel for each hinge: + / 20 $^{\circ}$ / Tilt for each hinge: + / 15 $^{\circ}$
- · Dimension (W x D x H): 672x370x240mm (26.46x14.57x9.45")
- Weight: 3.3 Kg (7.26lbs)
- · Cable Management
- · Screw Type: M4,









DIGITUS® Universal dual LED/LCD table mount with gas spring

With Gas spring

- Universally suitable for all LED and LCD monitors with a mounting option in accordance with the VESA standard
- · Mount devices with a screen diagonal of 43 cm (17") to 69 cm (27") on a table
- · Freely swivels up to 180°
- · Freely adjustable vertical tilt angle up to 90°
- · Freely adjustable height
- · Rotate monitor up to 180°

DA-90353 4016032385370 | Universal dual LED/LCD table mount with gas spring | silver



DIGITUS®

Universal Dual Monitor Stand

For Monitors up to 27"

- $\cdot\,\text{VESA}$ mounting patterns o(75 x 75 and 100 x 100 mm
- · For monitors up to 69 cm (27")
- · Individual height adjustment of 15mm for perfect
- · Freely adjustable vertical tilt angle of up to 45°
- · Freely swivels up to 90° / Can be rotated 360°
- · Maximum adjustable height of 46cm
- · and with a maximum weight of 16 kg
- · Weight: 6,36 kg
- · Dimensions: 726 x 466 x 316 mm

DA-90348 4016032382669 | Universal Dual Monitor Stand | black



DIGITUS° Universal Dual Monitor clamb mount

For Monitors up to 27"

- \cdot Suitable for standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- · For desktops up to 7.5 cm thick
- \cdot For monitors up to 69 cm (27") and with a maximum weight of 16 kg
- · Individual height adjustment of 15mm for perfect alignment of your monitors
- \cdot Freely adjustable vertical tilt angle of up to 45 $^{\circ}$
- · Can be rotated 360°
- · Weight: 5 kg
- · Dimensions: 726 x 450 x 35 mm

DA-90349 4016032382676 | Universal Dual Monitor Stand with clamping assembly | black



DIGITUS* Universal Triple Desktop Monitor Stand Supports Monitors up beginning 15" to 24"

Supports Monitors up beetween 15" to 24" $\,$

- · Material: Steel / Aluminium Alloy
- \cdot Supports VESA standard dimensions (75x75mm and 100x100mm)
- · Support flat panel size: 15" 24"
- · Support max. weight for each hinge: 8Kg (17.64 lbs)
- \cdot Swivel for each hinge: + / 20 $^{\circ}$ / Tilt for each hinge: + / 20 $^{\circ}$
- · Rotate for each hinge: 90 °
- Dimension (W x D x H): 1280x349x370mm (50.39x13.74x14.57")
- · Weight: 5.3 Kg (11.63 lbs)
- · Cable Management

DA-90315 4016032314127 | Triple Desktop Monitor Stand | black






DIGITUS° Universal Tripple Monitor clamp mount

For Monitors up to 27"

- \cdot Standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- · For desktops up to 7.5 cm thick
- For monitors up to 69cm (27")
- · Max. load 8 Kg per arm
- · Individual height adjustment of 15mm
- Freely adjustable vertical tilt angle of up to 45°
- · Can be rotated 360°
- · Weight: 6,4 kg
- · Dimensions: 1448 x 550 x 120 mm






DA-90362 4016032425007 | Universal Tripple Monitor Stand with clamping assembly | black

DIGITUS° Universal tripple LED/LCD table mount with gas spring

With Gas spring

- · Universally suitable for all LED and LCD monitors with a mounting option in accordance with the VESA standard
- · Mount devices with a screen diagonal of 43 cm (17") to 69 cm (27") on a table
- · Freely swivels up to 180°
- Freely adjustable vertical tilt angle of up to 90°
- $\cdot \, \text{Freely adjustable height} \\$
- · Rotate monitor up to 180°





 $\textbf{DA-90363} \ 4016032425571 \ | \ \textbf{Universal tripple LED/LCD table mount with gas spring} \ | \ \textbf{black}$









DIGITUS° VESA Adapter Kit for iMac and Apple displays

Till early 2012

- Use your iMac or Apple display with a wall or desk mounting solution that is compatible with the VESA standard
- \cdot For iMacs and Apple Displays until early 2012
- · Simple and easy installation
- \cdot Suitable for the 75 x 75 VESA mounting pattern
- · Weight: 0.28 kg
- · Dimensions: 96 x 75 x 60 mm
- Suitable for 21", 24" and 27" iMacs, 24" and 27" LED Cinema Displays, and 27" Thunderbolt Displays

DA-90356 4016032382720 | VESA Adapter Kit for iMac and Apple displays | silver



DIGITUS° VESA Adapter Kit for iMac and Apple displays

From late 2012

- Use your iMac or Apple display with a wall or desk mounting solution that is compatible with the VESA standard
- For iMacs and Apple Display from late 2012
- · Simple and easy installation
- \cdot Suitable for standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- · Weight: 0.7 kg
- · Dimensions: 240 x 165 x 38 mm
- \cdot Suitable for 21", 24" and 27" iMacs, 24" and 27" LED Cinema Displays, and 27" Thunderbolt Displays

DA-90356-1 4016032431763 | VESA Adapter Kit for iMac and Apple displays | silver



DIGITUS° Universal notebook base for monitor mounts

For Gas spring monitor mounts

- · VESA mounting pattern: 75 x 75
- · Weight: 1 kg
- · Dimensions: 300 x 265 x 20 mm
- · For notebooks up to 15"
- · Maximum loading capacity: 4kg
- · Suitable for gas spring mounts
- · Compatible with DA 90351 / DA 90353 / DA 90363







DA-90355 4016032382713 | Universal notebook base for monitor mounts | black

DIGITUS® Adapter for mounting monitors without VESA holes

For monitors without VESA mount

- For all monitor mounts according to VESA 75x75 and 100x100 standard
- · For monitors with a depth of 2 7cm
- · With this VESA adapter
- · Suitable for most monitors between 17" to 30"
- · Max load 8kg





DA-90347 4016032391364 | Adapter for mounting monitors without VESA holes | black







DIGITUS° Universal Wall Mount for monitors

For Monitors up to 69cm (27")

- \cdot Suitable for standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- · For monitors up to 69 cm (27") and with a maximum weight of 18 kg
- · Minimal mounting profile from wall (18 mm)
- · Integrated spirit level for easy mounting
- · Weight: 0.3 kg
- · Dimensions: 120 x 120 x 18 mm

DA-90303-1 4016032383123 | Universal Wall Mount for monitors | black




DIGITUS° Universal Wall Mount for monitors

For Monitors up to 94cm (37")

- \cdot Suitable for standard VESA mounting patterns of 75 x 75, 100 x 100, 200 x 100, and 200 x 200 mm.
- · For monitors up to 94 cm (37") and with a maximum weight of 37 kg
- · Minimal mounting profile from wall (18 mm)
- · Integrated spirit level for easy mounting
- · Weight: 0.7 kg
- · Dimensions: 220 x 220 x 18 mm

DA-90310-1 4016032385363 | Universal Wall Mount for monitors | black




DIGITUS° Universal LED/LCD Monitor Wall Mount

Universal wall mount with tilt adjustment

- Universally suitable for all LED, LCD, and plasma TVs with a mounting option in accordance with the VESA standard
- \cdot For wall-mounting devices with a screen diagonal of 82 cm (32") to 140 cm (55")
- \cdot Suitable for VESA mounting patterns of 200 x 200, 300 x 300, 400 x 200, and 400 x 400 mm
- · Maximum load bearing capacity: up to 35 kg
- · Weight: 1.2 kg

DA-90334 4016032379980 | Universal LED/LCD Monitor Wall Mount | black



DIGITUS° Universal LED/LCD Monitor Wall Mount

Universal wall mount with tilt adjustment

- \cdot Universally suitable for all LED, LCD, and plasma TVs with a mounting option in accordance with the VESA standard
- \cdot For mounting devices with a screen diagonal of 119 cm (47") to 178 cm (70") to the wall
- · Freely adjustable vertical tilt angle up to -12°
- · Spirit level included for installation
- · Spring protection to lock the TV in the mount
- Max. load bearing capacity: 40 kg
- Weight: 2.1 kg / Dimensions: 712 x 435 x 35 mm

DA-90352 4016032382690 | Universal LED/LCD Monitor Wall Mount | black





DIGITUS° Universal Wall Mount with swivel function

For Monitors up to 27"

- · For monitors up to 69 cm (27") and with a maximum weight of 15 kg
- · Supports VESA standard dimensions (75x75mm and 100x100mm)
- \cdot Can be rotated 360° / Freely swivels up to 45°
- · Net weight: 0.8kg; overall length 80mm
- \cdot Suitable for standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- \cdot Max. load bearing capacity: 15 kg
- · Weight: 0.8 kg
- · Dimensions: 112 x 112 x 80 mm





DA-90307 4016032239376 | Universal Wall Mount with swivel function | black

DIGITUS° Universal Wall Mount with swivel function

For LCD/LED Monitors up to 27"

- · Universally suitable for all LED and LCD monitors with a mounting option in accordance with the VESA standard
- \cdot For monitors up to 69 cm (27") and with a maximum weight of 15 kg
- \cdot Freely swivels +/-15° / Can be rotated 360°
- · Spirit level included for installation
- \cdot Suitable for standard VESA mounting patterns of 75 x 75 and 100 x 100 mm
- · Max. load bearing capacity: 15 kg / Weight: 0.8 kg
- · Dimensions: 140 x 80 x 64 mm











All brand names and logos that are mentioned are trademarks or registered trademarks of the respective owners. The right to make design-related variations from the photos, mistakes and technical changes is reserved. All information is provided without guarantee. We assume no liability for printing errors. The right to delivery is reserved and subject to availability. Published by ASSMANN Electronic GmbH, Auf dem Schüffel 3, 58513 Lüdenscheid - Germany. 09/2017