


# ICON ONE Desktop



### ICON ONE

Although the smallest of footprint the ICON.ONE boosts a UK socket with 3A thermal fuse, USB A QC (Quick Charge) and a dual dual USB PD (Power Delivery) chargers, available in black or white with a desk clamp.

### USB Performance

PD 18W USB A: QC3.0, DC 5V3A, 9V2A, 12V1.5A. USB-C PD, 2V/5A, 5V/3A & 9V/2A

PD 65W USB C1 5V3A, 9V3A, 12V3A, 15V3A, 25A Total 65W max PD 65W USB C2 5V3.2, 9V2.2A, 12V1A, Total 20W max  
Multi use PD 65W performance USB C (1) 45W, USB C (2) 20W and USB A 18W

Code	Description
ICON-ONE-B	Black socket with re-settable thermal fuse, dual 18W USB type C & USB A charger
ICON-ONE-W	White socket with re-settable thermal fuse, dual 18W USB type C & USB A charger
ICON-ONE-B-65	Black socket with re-settable thermal fuse, dual 65W USB type C & USB A charger
ICON-ONE-W-65	White socket with re-settable thermal fuse, dual 65W USB type C & USB A charger

Supplied with a Desk Clamp in either Black or White to match the desk module.



Does not require installation by an Electrician.  
Connection via a wiewland power cable, available in various lengths from 1 to 6Mtrs.



Unit 10, 2M Trade Park  
Beddow Way  
Aylesford  
Kent. ME20 7BT  
Tel: 01622 716688  
Email: sales@fairline.co.uk  
Web: www.fairline.co.uk



**ICON**

The ICON 2-way and 4-way have individually switched sockets with resettable thermal fuses to BS6396:2022, a choice of the standard PD 18W A&C charger or a powerful PD 65W dual USB C charger. Available loaded with Data, USB and HDMI couplers.

**USB Performance**

PD 18W USB A: QC3.0, DC 5V3A, 9V2A, 12V1.5A. USB-C PD, 2V/5A, 5V/3A & 9V/2A

PD 65W USB C1 5V3A, 9V3A, 12V3A, 15V3A, 25A Total 65W max

PD 65W C2 5V3.2, 9V2.2A, 12V1A, Total 20W max

Multi use PD 65W performance USB C1 45W max, USB C2 20W max

**Dimensions**

152mm long, 74mm high & 74mm wide (when positioned), each unit has a black or white 500mm lead to male 3-pole connector

Code	Description
ICON.B	Black 2-way desktop with re-settable 3.15A fuses, dual USB type A&C charger
ICON.W	White 2-way desktop with re-settable 3.15A fuses, dual USB type A&C charger
ICON.B-65W	Black 2-way desktop with re-settable 3.15A fuses, dual 65W USB type C charger
ICON.W-65W	White 2-way desktop with re-settable 3.15A fuses, dual 65W USB type C charger
Code	Description with factory fitted data / media modules
ICON.B-D1	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x Cat 6 coupler
ICON.W-D1	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x Cat 6 coupler
ICON.B-65W-D1	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x Cat 6 coupler
ICON.W-65W-D1	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x Cat 6 coupler
ICON.B-H1	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x HDMI coupler
ICON.W-H1	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x HDMI coupler
ICON.B-65W-H1	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x HDMI coupler
ICON.W-65W-H1	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x HDMI coupler
ICON.B-D2	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 2x Cat 6 coupler
ICON.W-D2	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 2x Cat 6 coupler
ICON.B-65W-D2	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 2x Cat 6 coupler
ICON.W-65W-D2	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 2x Cat 6 coupler
ICON.B-DH	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, Cat 6 & HDMI
ICON.W-DH	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, Cat 6 & HDMI
ICON.B-65W-DH	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, Cat 6 & HDMI
ICON.W-65W-DH	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, Cat 6 & HDMI
ICON.B-D6	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x Cat 6A coupler
ICON.W-D6	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x Cat 6A coupler
ICON.B-65W-D6	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x Cat 6A coupler
ICON.W-65W-D6	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x Cat 6A coupler
ICON.B-D62	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 2x Cat 6A coupler
ICON.W-D62	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 2x Cat 6A coupler
ICON.B-65W-D62	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 2x Cat 6A coupler
ICON.W-65W-D62	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 2x Cat 6A coupler
ICON.B-D6H	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, Cat 6A & HDMI
ICON.W-D6H	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, Cat 6A & HDMI
ICON.B-65W-D6H	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, Cat 6A & HDMI
ICON.W-65W-D6H	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, Cat 6A & HDMI
ICON.B-EX	Black ICON 50mm wide desk clamp
ICON.W-EX	White ICON 50mm wide desk clamp
Code	Description data / AV modules
ICON.B-B	Replacement Black ICON media blank
ICON.B-W	Replacement White ICON media blank
ICON/CAT6-B	Black ICON Cat 6 module
ICON/CAT6-W	White ICON Cat 6 data module
ICON/CAT6A	Shielded ICON Cat 6A data module
ICON/HDMI.B	Black ICON HDMI media module
ICON/HDMI.W	White ICON HDMI media module
ICON/USBA.B	Black ICON USB A media module
ICON.UNBA.W	White ICON USB A media module
ICON.USBC.B	Black ICON USB C media module
ICON.USBC.W	White ICON USB C media module



**ICON-FOUR**

The ICON 2-way and 4-way have individually switched sockets with resettable thermal fuses to BS6396:2022, a choice of the standard PD 18W A&C charger or a powerful PD 65W dual USB C charger. Available loaded with Data, USB and HDMI couplers.

**USB Performance**

PD 18W USB A: QC3.0, DC 5V3A, 9V2A, 12V1.5A. USB-C PD, 2V/5A, 5V/3A & 9V/2A  
 PD 65W USB C1 5V3A, 9V3A, 12V3A, 15V3A, 25A Total 65W max  
 PD 65W C2 5V3.2, 9V2.2A, 12V1A, Total 20W max  
 Multi use PD 65W performance USB C1 45W max, USB C2 20W max

**Dimensions**

265mm long, 74mm high & 74mm wide (when positioned), each unit has a black or white 500mm lead to male 3-pole connector

Code	Description
ICON.B4	Black 4-way desktop with re-settable 3.15A fuses, dual USB type A&C charger
ICON.W4	White 4-way desktop with re-settable 3.15A fuses, dual USB type A&C charger
ICON.B4-65W	Black 4-way desktop with re-settable 3.15A fuses, dual 65W USB type C charger
ICON.W4-65W	White 4-way desktop with re-settable 3.15A fuses, dual 65W USB type C charger
<b>Description with factory fitted data / media modules</b>	
ICON.B4-D1	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x Cat 6 coupler
ICON.W4-D1	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x Cat 6 coupler
ICON.B4-65W-D1	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x Cat 6 coupler
ICON.W4-65W-D1	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x Cat 6 coupler
ICON.B4-H1	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x HDMI coupler
ICON.W4-H1	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x HDMI coupler
ICON.B4-65W-H1	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x HDMI coupler
ICON.W4-65W-H1	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x HDMI coupler
ICON.B4-D2	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 2x Cat 6 coupler
ICON.W4-D2	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 2x Cat 6 coupler
ICON.B4-65W-D2	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 2x Cat 6 coupler
ICON.W4-65W-D2	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 2x Cat 6 coupler
ICON.B4-DH	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, Cat 6 & HDMI
ICON.W4-DH	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, Cat 6 & HDMI
ICON.B4-65W-DH	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, Cat 6 & HDMI
ICON.W4-65W-DH	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, Cat 6 & HDMI
ICON.B4-D6	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x Cat 6A coupler
ICON.W4-D6	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 1x Cat 6A coupler
ICON.B4-65W-D6	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x Cat 6A coupler
ICON.W4-65W-D6	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 1x Cat 6A coupler
ICON.B4-D62	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, 2x Cat 6A coupler
ICON.W4-D62	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, 2x Cat 6A coupler
ICON.B4-65W-D62	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 2x Cat 6A coupler
ICON.W4-65W-D62	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, 2x Cat 6A coupler
ICON.B4-D6H	Black desktop with re-settable 3.15A fuses, dual USB type A&C charger, Cat 6A & HDMI
ICON.W4-D6H	White desktop with re-settable 3.15A fuses, dual USB type A&C charger, Cat 6A & HDMI
ICON.B4-65W-D6H	Black desktop with re-settable 3.15A fuses, dual 65W USB type C charger, Cat 6A & HDMI
ICON.W4-65W-D6H	White desktop with re-settable 3.15A fuses, dual 65W USB type C charger, Cat 6A & HDMI
ICON.B-EX	Black ICON 50mm wide desk clamp
ICON.W-EX	White ICON 50mm wide desk clamp
<b>Description data / AV modules</b>	
ICON.B-B	Replacement Black ICON media blank
ICON.B-W	Replacement White ICON media blank
ICON/CAT6-B	Black ICON Cat 6 module
ICON/CAT6-W	White ICON Cat 6 data module
ICON/CAT6A	Shielded ICON Cat 6A data module
ICON/HDMI.B	Black ICON HDMI media module
ICON/HDMI.W	White ICON HDMI media module
ICON/USBA.B	Black ICON USB A media module
ICON.UNBA.W	White ICON USB A media module
ICON.USBC.B	Black ICON USB C media module
ICON.USBC.W	White ICON USB C media module